




FORCE ASSEMBLY TOOLS



ENGINEERED TO BE FEARLESS





ASSEMBLY RATCHETS



5009



5011

Features:

- Steel Angle Head
- Aluminum Housing
- Ergonomic Composite Grip



Model Number	Drive Size		Bolt Cap Grade 5		Maximum Torque		Free Speed		Weight		Length		Avg Air Consumption	
	in		in	mm	ft lb	Nm	rpm		lb	kg	in	mm	cfm	l/s
5007	3/8		5/16	8	20	27	265		1.3	0.55	6.6	168	1.4	37
5009	1/4		5/16	8	20	27	265		1.5	0.5	6.6	168	1.2	37
5011	3/8		7/16	11	50	68	185		2.6	1.2	10.8	274	3.0	85
5013	1/2		7/16	11	50	68	185		2.6	1.2	10.8	274	3.0	85

General: Air Inlet Size: 1/4" NPT • Recommended Hose Size: 3/8" (10 mm) • Performance rated @ 90 psig (6.2 bar) air pressure
Standard Equipment: Head Cover • Parts List • Safety and Instruction Manual

3/8" IMPACT WRENCHES

5045

Features:

- Twin Hammer Mechanism
- Swivel Inlet
- Bail



5038C

Features:

- Twin Hammer Mechanism
- Robust 3-Piece Metal Housing
- High Torque Output



5338A

Features:

- Twin Hammer Mechanism
- Lightweight Composite Housing
- Quiet and Ergonomic



Model Number	Drive Size	Socket Retainer Style	Bolt Cap Grade 5		Working Torque Range		Maximum Torque		Blows Per Minute	Free Speed	Weight		Length		Avg Air Consumption	
	in		in	mm	ft lb	Nm	ft lb	Nm		rpm	lb	kg	in	mm	cfm	l/s
5045	3/8	Friction	7/16	12	15-160	20-217	175	237	1850	9500	2.5	1.1	7.6	193	2.5	1.2
5045P	3/8	Pin	7/16	12	15-160	20-217	175	237	1850	9500	2.5	1.1	7.6	193	2.5	1.2
5038C	3/8	Friction	7/16	12	50-230	70-310	310	420	1300	10000	3.4	1.5	6	152	3.7	1.7
5039C	3/8	Pin	7/16	12	50-230	70-310	310	420	1300	10000	3.4	1.5	6	152	3.7	1.7
5338A	3/8	Friction	7/16	12	50-180	70-240	250	340	1100	10000	2.7	1.2	6.5	165	2.8	1.3
5338AP	3/8	Pin	7/16	12	50-180	70-240	250	340	1100	10000	2.7	1.2	6.5	165	2.8	1.3

General: Air Inlet Size: 1/4" NPT • Recommended Hose Size: 3/8" (10 mm) • Performance rated @ 90 psig (6.2 bar) air pressure
Standard Equipment: Parts List • Safety and Instruction Manual



ASSEMBLY

1/2" IMPACT WRENCHES



5000A

Features:

- Twin Hammer Mechanism
- Front Exhaust



5050C

Features:

- Twin Hammer Mechanism
- Robust 3-Piece Metal Housing
- High Torque Output



5250C

Features:

- Pin Clutch Mechanism
- Robust 3-Piece Metal Housing
- High Torque Output



5350A

Features:

- Twin Hammer Mechanism
- Lightweight Composite Housing
- Quiet and Ergonomic



Model Number	Drive Size	Socket Retainer Style	Bolt Cap Grade 5		Working Torque Range		Maximum Torque		Blows Per Minute	Free Speed	Weight		Length		Avg Air Consumption	
	in		in	mm	ft lb	Nm	ft lb	Nm		rpm	lb	kg	in	mm	cfm	l/s
5000A	1/2	Friction	5/8	16	80-300	110-410	425	580	1100	8000	5.6	2.5	7.4	188	4.2	2.0
5000AL	1/2	Friction	5/8	16	80-300	110-410	425	580	1100	8000	5.6	2.5	9.4	240	4.2	2.0
5050C	1/2	Friction	5/8	16	100-370	140-500	500	680	1100	7500	5.8	2.6	7.6	193	4.8	2.3
5050CL	1/2	Friction	5/8	16	100-370	140-500	500	680	1100	7500	6.0	2.7	9.7	246	4.8	2.3
5051C	1/2	Pin	5/8	16	100-370	140-500	500	680	1100	7500	5.8	2.6	7.6	193	4.8	2.3
5250C	1/2	Friction	5/8	16	100-370	140-500	500	680	860	7000	5.9	2.7	7.9	201	5.7	2.7
5350A	1/2	Friction	5/8	16	80-330	110-450	450	610	1000	7000	4.6	2.07	6.7	170	3.9	1.8
5350AP	1/2	Pin	5/8	16	80-330	110-450	450	610	1000	7000	4.6	2.07	6.7	170	3.9	1.8
5350AL	1/2	Pin	5/8	16	80-330	110-450	450	610	1000	7000	4.8	2.17	8.7	220	3.9	1.8

General: Air Inlet Size: 1/4" NPT • Recommended Hose Size: 3/8" (10 mm) • Performance rated @ 90 psig (6.2 bar) air pressure

Standard Equipment: Parts List • Safety and Instruction Manual



ASSEMBLY

3/4" IMPACT WRENCHES



5075C

Features:

- Twin Hammer Mechanism
- Robust 3-Piece Metal Housing with Steel Nose Housing
- High Torque Output
- Rubber Grip Pad



5090C

Lightweight 3/4" Impact with 1" Anvil

Features:

- Twin Hammer Mechanism
- Robust 3-Piece Metal Housing with Steel Nose Housing
- High Torque Output
- Rubber Grip Pad



5375A

Features:

- Twin Hammer Mechanism
- Lightweight Composite Housing
- Quiet and Ergonomic



Model Number	Drive Size in	Socket Retainer Style	Bolt Cap Grade 5		Working Torque Range		Maximum Torque		Blows Per Minute	Free Speed rpm	Weight		Length		Avg Air Consumption	
			in	mm	ft lb	Nm	ft lb	Nm			lb	kg	in	mm	cfm	l/s
5075C	3/4	Friction/Hole	7/8	20	300-800	410-1090	1100	1500	800	5000	12.5	5.7	8.9	226	7.3	3.4
5075CL	3/4	Friction/Hole	7/8	20	300-800	410-1090	1100	1500	800	5000	14.5	6.6	15.2	386	7.3	3.4
5090C	1	Friction/Hole	7/8	20	300-800	410-1090	1100	1500	800	5000	12.8	5.8	9.1	231	7.3	3.4
5375A	3/4	Friction/Hole	7/8	20	275-700	370-950	950	1290	900	5000	8.5	3.8	9.5	240	5.6	2.6
5375AP	3/4	Hole	7/8	20	275-700	370-950	950	1290	900	5000	8.5	3.8	9.5	240	5.6	2.6

General: Air Inlet Size: 3/8" NPT • Recommended Hose Size: 1/2" (25 mm) • Performance rated @ 90 psig (6.2 bar) air pressure

Standard Equipment: Parts List • Safety and Instruction Manual



ASSEMBLY

1" IMPACT WRENCHES



5092C

Features:

- Pin Clutch Mechanism
- Robust 3-Piece Metal Housing
- 4-Bolt Side Handle for Extra Durability



5093C

Features:

- Pin Clutch Mechanism
- Robust 3-Piece Metal Housing
- 4-Bolt Side Handle for Extra Durability
- Steel Skidplates
- Interchangeable Trigger (Inside or Outside)



5095C

Features:

- Twin-Hammer Mechanism
- Robust 3-Piece Metal Housing
- Lightweight and Compact for Ergonomics
- Steel Skidplates
- Interchangeable Trigger (Inside or Outside)



Model Number	Drive Size in	Socket Retainer Style	Bolt Cap Grade 5		Working Torque Range		Maximum Torque		Blows Per Minute	Free Speed rpm	Weight		Length		Avg Air Consumption	
			in	mm	ft lb	Nm	ft lb	Nm			lb	kg	in	mm	cfm	l/s
5092C	1	Friction/Hole	1-1/8	27	600-1300	820-1770	1850	2520	440	4800	22.5	10.2	10.9	277	9.6	4.5
5092CL	1	Friction/Hole	1-1/8	27	600-1300	820-1770	1850	2520	440	4800	25.4	11.5	16.8	427	9.6	4.5
5093C	1	Friction/Hole	1-1/8	27	600-1400	820-1900	1950	2650	460	5000	23.8	10.8	13.5	343	11.0	5.2
5093CL	1	Friction/Hole	1-1/8	27	600-1400	820-1900	1950	2650	460	5000	26.7	12.1	19.8	503	11.0	5.2
5095C	1	Friction/Hole	1	24	500-1100	680-1500	1600	2180	730	4500	14.7	6.7	12.5	318	8.2	3.9
5095CL	1	Friction/Hole	1	24	500-1100	680-1500	1600	2180	730	4500	17.5	7.9	18.1	460	8.2	3.9

General: Air Inlet Size: 1/2" NPT • Recommended Hose Size: 1/2" (25 mm) • Performance rated @ 90 psig (6.2 bar) air pressure

Standard Equipment: Parts List • Safety and Instruction Manual • D-Style Support Handle

ASSEMBLY ACCESSORIES



Socket Retaining Pins with "O" Rings

Retaining Pin	"O" Ring	For Use On
34664	14317	3/4" Dr. Sockets 6640-6654
34665	14319	Adaptor 2568, All 1" Dr. Sockets



Quick Change Chuck

Adapts male square drive to female hex quick change

Part Number	Drive Size		Color
	Input (Square Drive)	Output (Hex)	
2530	3/8"	1/4"	1-13/16"
2520	1/2"	7/16"	

Ergonomic Handle Grip

Part No. 5002

For use with Model 5000A Impact



1359

Air Hoses

Part Number	ID		Length		Fittings
	in	mm	ft	m	
1376	3/8	10	6	2.7	1/4" NPT
1377	3/8	10	25	11	1/4" NPT



Nylon Recoil Air Hose

1326

Part Number	ID		Length		Fittings
	in	mm	ft	m	
1326B	1/4	6	25	11	1/4" NPT
1327B	3/8	10	25	11	1/4" NPT



1316



1391



1395

High-Capacity Quick Change Couplers

Part Number	Description	Thread
1316	Male Coupler Nipple	1/4" NPT
1317	Male Coupler Nipple	3/8" NPT
1318	Male Coupler Nipple	1/2" NPT
1391B	Quick Change Coupler	1/4" NPT
1392B	Quick Change Coupler	3/8" NPT
1393	Quick Change Coupler	1/2" NPT
1395	Female Coupler Nipple	1/4" NPT
1396	Female Coupler Nipple	3/8" NPT
1397	Female Coupler Nipple	1/2" NPT



1338-25



1338FC-25

Sioux-Per Swivel

Allows the air hose to rotate 360° on 2 axes

Part No. 1338-25

1/4" non-regulated air swivel connector with safety pin design

Part No. 1338-38

3/8" non-regulated air swivel connector with safety pin design

Part No. 1338-50

1/2" non-regulated air swivel connector with safety pin design

Part No. 1338FC-25

1/4" regulated air swivel connector with safety pin design



ASSEMBLY ACCESSORIES

Air Motor Oil For Air Tools

Part No. 288

1/2 Pint

Part No. 288-1

1 Quart

Part No. 288-2

2 Liter




Grease

Part Number	Size
289A	1 Quart
289A-1	2 Pounds
289A-2	6 Pounds
1198	6 Ounces
1198-1	2 Pounds
1198-2	6 Pounds
1232A	3 Ounces
1232A-02	1 1/2 Ounces
1232A-04	4 Ounces
1232A-1	1 Quart
1232A-2	1 Gallon

Grease Gun

Part No. 442

Used on Impacts and Tools with greaseable gears



Filter, Regulator, Lubricator Assembly

Part No. 1660

1/2" NPT fittings

Air flow: 30 - 75 cfm

Part Number	Description
1660B	Complete Air Control Unit, 1/2"PT
1661	Lubricator Only, 1/2"PT
1662A	Regulator with Gauge, 1/2"PT
1663	Manual Flex Drain Filter, 1/2"PT
1664	Manifold Block
1665	Connecting End Blocks
1666	Modular Sleeve ("O" Ring included)
1667	Automatic Drain - Optional
1668	Sleeve Wall Mounting Bracket




Filter, Regulator, Lubricator Assembly

Part No. 1651MA

3/4" NPT air fittings

Air flow: over 75 cfm

Part Number	Description
1651MA	Complete Automatic Air Control Unit, 3/4" PT, larger capacity and float type filter for automatic drain
1652M	Lubricator only, 3/4" PT, 1 quart capacity
1654B	Regulator with Gauge, 3/4" PT
1653MA	Automatic Air Filter, 3/4" PT, automatic float drain empties when full



Educational Series #5 Impact Wrenches Brochure

Form No. ZML0182

Everything you need to know about pneumatic impact wrenches!

ASSEMBLY

U.S. Independent Service Centers



ALABAMA
Birmingham
 Motion Industries
 824 North 31st Street 35203
 205-251-7522

Tool Smith Company, Inc.
 1300 Fourth Ave S 35233
 205-323-2576 • 800-317-8665

Dothan
 Brackin Wholesale Coatings
 725 South Oates St 36301
 334-793-4330

Winfield
 McCaleb Tool Supply
 710 Hwy 43 South 35594
 205-487-2222

ARIZONA
Phoenix
 Glenn's Tool Service
 2149 East Indian School Rd 85016
 602-264-6203

ARKANSAS
Hot Springs
 Arkansas Welding, Inc.
 230 Valley St. 71901
 501-321-9922

CALIFORNIA
Buena Park
 Three Day Tool, Inc.
 6767 8th Street 90620
 714-521-9180

Rancho Dominguez
 U.S. Air Tool Company
 1219 W. Mahalo Pl. 90220
 310-632-5400

COLORADO
Denver
 AIS Industrial & Construction Supply
 3900 Ulster Street 80207
 303-355-2391

FLORIDA
Doral
 Air/Electric Tool & Equipment
 7840 Nw 58th St 33166
 305-593-5040

Jacksonville
 World Electric Supply, Inc.
 569 Stuart Lane 32254
 904-378-4000

Orlando
 Air Centers of FL
 7830 Kingspointe Parkway 32819
 407-677-4200

Port Charlotte
 Tropical Construction Supply
 18412 Paulson Dr 33954
 941-743-5863

Spring Hill
 R & R Tool Repair, Inc.
 13591 Linden Dr 34609
 352-263-3587

Tampa
 Compressed Air Systems, Inc.
 9303 Stannum Street 33619
 800-626-8177

GEORGIA
Snellville
 Kentec Inc.
 3250 Centerville Hwy 30039
 770-985-1907

IOWA
Bloomfield
 Gingerich Logging & Supply
 16700 Jade Ave 52537
 515-830-4414

DesMoines
 Peerless Supply Inc.
 1701 Guthrie Ave 50316
 515-265-9905

Sioux City
 The Sioux City Iron Co.
 310 South Floyd 51101
 712-255-7696 • 800-831-2211

ILLINOIS
Machesney Park
 Engman-Taylor Co Inc.
 7980 Burden Rd 61115
 800-236-7282

Mattoon
 S & K Air Power
 317 Dewitt Ave East 61938
 217-258-8500

INDIANA
Elkhart
 Alco Tool Supply Inc.
 54847 County Rd 17 46515
 574-295-5535

Evansville
 Lensing Tool & Supply
 306 No 7th Ave 47730
 812-425-9049

Fort Wayne
 Mill Supplies Inc.
 5105 Industrial Road 46825
 260-484-8566

Indianapolis
 Alcorn Industrial Inc.
 5412 Rock Hampton Court 46268
 317-872-6772

Vamaco Tool & Equipment Co.
 6718 East 38th Street 46226
 317-632-2208

KANSAS
Wichita
 Four State Industrial Supply
 1731 S. Eisenhower Ct. 67209
 316-558-8225

LOUISIANA
New Orleans
 Beerman Precision Inc.
 4206 Howard Ave 70125
 504-486-9391

MASSACHUSETTS
Everett
 Panda Electrical Service
 165 Main St 02149
 617-389-1442

MINNESOTA
Bloomington
 Mars Supply
 215 E. 78th Street 55420
 952-884-9388 • 800-862-6093

Minneapolis
 Deko Factory Service
 3048 Bloomington Ave So 55407
 612-721-6651

Tool Warehouse Inc.
 3410 East 42nd St 55406
 612-722-4260

MISSOURI
Blue Springs
 Clark's Tool Repair
 815-17 SW US Hwy 40 64015
 816-228-9885

Berkeley
 John Henry Foster
 4700 LeBourget Dr. 63134
 314-593-1203

Fenton
 Productive Tool Products, Inc.
 1075 Headquarters Park Dr 63026
 636-305-1202

Saint Louis
 Logan Gresham, Ltd
 9 South Florissant Rd 63135
 314-521-2400

MISSISSIPPI
Tupelo
 Compressors & Tools Inc.
 105 Old Runway Rd 38801
 662-844-7023

NORTH CAROLINA
Belmont
 IDG
 2100 The Oaks Parkway 28012
 704-398-5600

Greensboro
 Carolina Tool Sales And Repair, Inc.
 807 Huffman St 27405
 336-275-6124

High Point
 Air Power, Inc. (NC)
 1430 Trinity Avenue 27260
 336-886-5081

High Point Pneumatics Inc.
 2430 English Rd 27262
 336-889-8416

Kernersville
 Airand LTD
 218 Broken Saddle Lane 27284
 336-993-6737

NEBRASKA
Omaha
 JDC Tool & Repair
 6263 Abbott Dr 68110
 402-455-6151

Thacker Electric
 8517 I Street 68127
 402-592-9433

NEW YORK
Syracuse
 Ace Hydraulic & Pneumatic
 6720 Vip Parkway 13211
 315-454-8989

OHIO
Apple Creek
 Air Works
 10680 Dover Rd. 44606
 330-698-0388

Cleveland
 Industrial Pneumatic
 1715 Brookpark Rd. 44109
 216-398-7550

Columbus
 Mitchell-Mckinney Supply Co.
 610 Greenlawn Ave 43223
 614-444-6732

Richfield
 Ohio Tool Systems
 3863 Congress Parkway 44286
 330-659-4181

Youngstown
 Power Tool & Supply Co.
 3699 Leharps Rd 44515
 330-792-1487

OKLAHOMA
Oklahoma City
 Compressed Gas And Supply Inc.
 1301 West Reno 73106
 405-235-9353

Hydraulic Equipment Co LLC
 2800 W. California Ave. Ste A
 73107
 405-235-3318

Tulsa
 Tool Center Inc.
 1447 North Yale 74115
 918-838-7411

OREGON
Portland
 Chas H Day Co, Inc.
 602 So East 11th 97214
 503-232-1659

PENNSYLVANIA
Christiana
 Beiler's Pneumatics
 718 Vintage Rd 17509
 610-593-7064

Hanover
 C H Reed Co.
 301 Poplar St 17331
 717-632-4261

Myerstown
 Keystone Air Power
 60 Elco Drive 17067
 717-866-9224

Robesonia
 Rowe Sales & Services, Inc.
 381 West Penn Ave 19551
 610-693-4031

TENNESSEE
Chattanooga
 Production Tool Systems Inc.
 2100 S Holtzclaw Ave 37407
 423-629-6822

Jackson
 Compressors & Tools Inc.
 109 Anglin Lane 38301
 731-421-8068

Johnson City
 Summers Hardware & Supply Co.
 400 Buffalo Street 37604
 423-461-4700

Memphis
 Authorized Equipment Service
 812 Polk Ave 38126
 901-774-0850 • 800-238-2529

DBH Distributors, Inc.
 3325 Millbranch Rd. 38116
 901-774-0850 • 901-348-1155

Pro Power, Inc.
 7531 Bartlett Corp Cove E,
 Suite 101 38133
 901-383-7888

TEXAS
Longview
 Texas Air Hydraulic Service & Sup
 251 S Eastman Rd 75602
 903-757-8211

Nederland
 ATSCO (Associated Tool Specialties
 Company)
 3711 North Twin City Hwy 77627
 409-727-2166

VIRGINIA
Portsmouth
 Hydraulic Service Co.
 3215 Victory Blvd 23702
 757-487-2513

Richmond
 Kaman Industrial
 10402 Lakeridge Pkwy #100
 Ashland 23005
 804 355 8041

Roanoke
 Stultz Mach Tools & Equip Inc.
 1546 Brownlee Ave SE 24014
 540-981-9359 • 800-542-5747

Salem
 C & C Assembly
 2636 West Main St 24153
 540-904-6416

WEST VIRGINIA
Bluefield
 Larry's Pneumatic Service, LLC
 100 Princeton Ave 24701
 304-325-9262

WISCONSIN
Green Bay
 Power Tool Service Co.
 1180 Ashwaubenon St 54304
 920-437-2594

Menomonee Falls
 Engman-Taylor Co Inc.
 W142 N9351 Fountain Blvd 53051
 800-236-1975

Racine
 Machinery & Factory
 1021 Sixth St 53403
 262-634-3381

siouxtools.com



250 Snap-on Drive
 P.O. Box 1596
 Murphy, North Carolina USA 28906
 PH: 828.835.9765
 FAX: 828.835.9685
 TOLL FREE: 866.259.7291
 TOLL FREE FAX: 800.722.7236

Benelux
 Tel: (N) +31-(0)880-104000
 (B) +32 (0)14-231967
 Fax: (N) +31-(0)880-104010
 (B) +32 (0)14-232627
 e-mail: (N) industrial.nl@snapon.com
 (B) industrial.be@snapon.com

Latin America
 Tel.: 305-271-0944
 Fax: 305-271-7152
 e-mail: latinamerica.caribbean@snapon.com

Germany
 Tel.: 49 2104 9509-0
 Fax: 49 2104 9509-99
 e-mail: indus.germany@snapon.com

Italy
 Tel.: 00 39 02 66 04 53 70
 Fax: 00 39 02 61 29 78 15
 e-mail: indus.italia@snapon.com

United Kingdom
 Tel.: 44 (0) 1536-413904
 Fax: 44 (0) 1536-413874
 e-mail: industrialuk@snapon.com

Asia
 Tel.: 65-6451-5570
 Fax: 65-6451-5574
 e-mail: esales.sg@snapon.com

Australia
 Tel.: 61 2 9837 9100
 Fax: 61 2 9624 2578
 e-mail:
 SOTA.customerservice@snapon.com